

ANNUAL REPORT

TO THE

HUNTINGDON

RURAL DISTRICT COUNCIL

FOR

1952

BY

J. R. GARROOD

M.D., D.P.H.

*Medical Officer of Health to the
Huntingdon Rural District Council*

HUNTINGDON:
W. GOGGS & SON LTD., HIGH STREET

**PUBLIC HEALTH OFFICERS OF THE HUNTINGDON
RURAL DISTRICT COUNCIL.**

Part-time Medical Officer: J. R. GARROOD, M.D., D.P.H.

Sanitary Inspector: B. R. DIXON, M.S.I.A.

*Part-time Analytical Chemist: SOLOMON GREENBURGH, ESQ., and
The Public Health Laboratory Service*

Pathologist: DR. HARVEY and Public Health Laboratory Service

**To the
Huntingdon Rural District Council.**

Alconbury Hill.

Gentlemen,

*I beg to submit my Annual Report for the year
1952.*

I am,

Your obedient Servant,

J. R. GARROOD.



Digitized by the Internet Archive
in 2017 with funding from
Wellcome Library

<https://archive.org/details/b29442825>

REPORT

ON THE

HUNTINGDON RURAL DISTRICT FOR 1952

STATISTICS AND SOCIAL CONDITIONS OF THE AREA.

The number of **Houses** built by the Council is the same as last year.

Water Supplies. Corrosion of water pipes is still all too frequent with consequent inconvenience to consumers. Cement asbestos pipes are generally used for replacement.

There has been no trouble from Plumbo-solvent action nor from Aerodrome effluents.

Water supplies to Little and Steeple Gidding are in progress.

The second pumping station is in action and most of the Rural District has now a piped supply.

Pressure fails most often on the high ground from Alconbury Hill to Upton, etc. The main leading from Wyton Tower to Abbots Ripton Tower is 6 in., the heights are 215ft. and 200ft. so Abbots Ripton Tower should be kept full, but if the draw-off is large, or anything stops the boosters the pressure drops as the Tower is not filled.

The remedy appears to be an additional 8-inch main from the Wyton Tower to the Abbots Ripton Tower, and a greater output from the boosters at Wyton.

The **Sewerage** scheme for Brampton is in progress. The contract for this scheme commenced in January of this year and progress was made to the extent that altogether 1,460 yards of 12in. and 3,030 yards of 9in. diameter pipes were laid. The reinforced concrete pumping chamber was constructed to ground level and 59 manholes were completed. The scheme at Sawtry is in preparation. The Alconbury and Alconbury Weston scheme is completed. Night soil collection is still a troublesome service and its disposal even more so.

Several small sewage plants are in operation. Where there is sufficient gradient these need no power and a minimum of attention, but they do need this.

Infectious Disease of the more serious kind has been light and Diphtheria immunisation, carried out by the County Council, is fairly good. It is most important that all children should be immunised for in 1901 there were 10,000 deaths due to the disease while in 1951 there

were only 32. These figures speak for themselves, they also tell us there is no room for contentment until all children are immunised and perhaps Diphtheria stamped out.

Food. Catering establishments, school kitchens and dining rooms are inspected and efforts made to preach "Clean food". On the whole the facts and problems are pretty well understood by those concerned.

Care. No cases of removal of suitable persons in need of care and attention under Section 47 of the National Assurance Act 1948 have been recommended. This matter involves the personal liberty of the subject and cannot be carried out just because some neighbour feels a little disagreeable responsibility.

A Civil Defence Committee has been set up and Mr. Dixon is the C.D. Officer.

Estimated Home Population	...	...	...	...	9,974
----------------------------------	-----	-----	-----	-----	-------

Live Births

Total—Male, 89; Female, 85.

Legitimate—Male, 83; Female, 79.

Illegitimate—Male, 6; Female, 6.

Birth Rate per 1,000 total population, 21. England and Wales, 15.3.

Still Births

Total—Male, 0, Female, 1.

Legitimate—Male, 0; Female, 1.

Illegitimate—Male, 0; Female, 0.

Rate per 1,000 total births, 5.7.

Deaths—Civilians

All causes—Male, 53; Female, 33. Total 86.

Death rate per 1,000 population, 8.7. England and Wales, 11.3.

Death rate from Puerperal causes, 0.

Deaths of Infants under one year of age—

Total—Male, 5; Female, 2.

Legitimate—Male, 4; Female, 2.

Illegitimate—Male, 1; Female, 0.

Death rate of Infants under one year of age—

All Infants per 1,000 live births	...	...	...	40
-----------------------------------	-----	-----	-----	----

This compares with England and Wales	...	...	27.6
--------------------------------------	-----	-----	------

Legitimate Infants per 1,000 legitimate live births	37
---	----

Illegitimate Infants per 1,000 illegitimate live births	83
---	----

Deaths of Infants under 4 weeks of age—							M.	F.
Total	...	...	...	...	...	...	5	1
Legitimate	...	...	...	...	...	...	4	1
Illegitimate	...	...	...	...	...	...	1	0

Causes of Death—

Tuberculosis, other	...	...	...	...	...	...	1	0
Malignant neoplasm, stomach	...	...	...	...	...	...	2	0
Malignant neoplasm, lung, bronchus	...	...	...	...	...	...	2	0
Malignant neoplasm, breast	...	...	...	...	...	...	0	2
Other malignant and lymphatic neoplasms	...	...	...	...	...	...	4	0
Leukaemia, aleukaemia	...	...	...	...	...	...	0	1
Vascular lesions of nervous system	...	...	...	...	...	...	7	8
Coronary disease, angina	...	...	...	...	...	...	1	0
Other heart disease	...	...	...	...	...	...	10	11
Other circulatory disease	...	...	...	...	...	...	2	1
Influenza	...	...	...	...	...	...	0	1
Pneumonia	...	...	...	...	...	...	1	1
Bronchitis	...	...	...	...	...	...	3	2
Hyperplasia of prostate	...	...	...	...	...	...	3	0
Other defined and ill-defined diseases	...	...	...	...	...	...	10	6
Motor vehicle accidents	...	...	...	...	...	...	2	0
All other accidents	...	...	...	...	...	...	5	0
All Causes	...	...	...	...	...	...	53	33

SANITARY INSPECTOR'S REPORT.

SEWERS.

Developments.

- | | | |
|------------------------|---|--|
| (a) Prior to this year | } | Main sewerage for Alconbury and Alconbury
Weston completed. Brampton in progress. |
| (b) During the year | | |

CLOSETS.

No. of houses at the end of the year with W.Cs.	...	...	1,233
No. of houses at the end of the year with pail closets	...	...	1,385
No. of W.Cs. constructed during year for new houses	...	...	29
No. of W.Cs. newly constructed for old property	...	...	12
No. of dustbins substituted for ashpits	...	...	16

SCAVENGING.

No. of houses in district	...	...	...	...	2,618
No. of houses with dustbins	...	...	...	...	1,443
No. of Notices sent requiring provision of bins	...	...	...	...	12
No. of new bins provided	...	...	...	...	42

Details of Collection.

Frequency—Night soil	...	...	...	...	...	Weekly
Dry refuse	...	...	...	...	...	Fortnightly
Transport and No. of men	...	...	...	...	2 Vehicles, 6 Men	
Whole area is covered.						
Particulars of service(s)—						
Unburnable refuse collection and night soil collection.						
Details of disposal arrangements—						
Controlled tipping. Night soil to land.						
Development required—						
None.						
Complaints received re non-removal	...	...	...	...	...	46
No. of bins emptied	...	...	...	...	...	1,443
No. of pail closets emptied	...	...	...	...	...	1,385

DRAINS.

New drains tested	...	...	...	...	...	80
Existing drains inspected	...	...	...	...	...	211
Existing drains repaired or reconstructed	...	...	...	...	...	102

DISPOSAL WORKS

Existing	...	...	...	...	...	5
----------	-----	-----	-----	-----	-----	---

CESSPOOLS.

No. of new cesspools provided	...	...	...	...	...	9
-------------------------------	-----	-----	-----	-----	-----	---

SHOPS AND OFFICES.

No. of shops inspected	...	...	...	...	...	24
Total number of visits	...	...	...	...	...	45

CAMPING SITES.

No. of Licences in force	...	...	...	...	...	1
Estimated maximum number of campers resident in area at any one time during summer	...	...	...	...	...	16
No. of inspections	...	...	...	...	...	8

DISINFESTATION.*Bed Bugs.*

No. of houses infested—						
(a) Council	...	...	...	...	...	2
(b) Private	...	...	...	...	...	2
No. of houses disinfested—						
(a) Council	...	...	...	...	...	2
(b) Private	...	...	...	...	...	2
Methods employed	...	...	...	...	Insecticide	

PREVENTION OF DAMAGE BY PESTS ACT, 1949

Total No. of properties inspected	Total No. of major rat infestations found	Total No. of minor rat infestations found	No. of mice infestations found	No. of infested properties treated	No. of notices served under section 4
1,837	Nil	245	Nil	318	Nil

DISINFECTION.

Cases of Infectious Disease reported	...	...	...	...	...	...	157
No. of inspections	...	...	...	...	...	...	5
Rooms disinfected—							
(a) Tuberculosis	...	...	...	...	...	...	2
(b) Others	...	...	...	...	...	...	3

FACTORIES AND WORKSHOPS.

Bakehouses.

No. registered	...	...	...	...	...	...	9
No. of inspections	...	...	...	...	...	...	21
General conditions	...	...	...	...	...	...	Fair

NUISANCES.

Abated as a result of informal action	...	...	...	...	...	217
Abated as a result of Statutory action	...	...	...	...	...	Nil

Analysis.

	No.	No. of Inspections
Premises	66	142
Overcrowding	17	21
Accumulation of Refuse	6	13
Foul ditches, etc.	22	54
Drains	102	117
Disinfestation	4	5

MEAT AND OTHER FOODS.

No. of slaughter Houses on register	...	...	...	...	...	7
No. of inspections re condition	...	...	...	...	...	25
No. of visits for the inspection of meat—Shops	...	...	...	...	...	5

FOOD POISONING.

There were no outbreaks.

FACTORIES ACTS, 1937 & 1948.

Factories in which Sections 1, 2, 3, 4 and 6 are to be enforced by Local Authorities.

Number on Register	...	...	...	...	...	...	24
Inspections	...	...	...	...	...	...	31
Written notices	...	...	...	...	...	...	Nil

Want of Cleanliness.

Found	...	...	...	...	...	...	Nil
Remedied	...	...	...	...	...	...	Nil

Sanitary Conveniences unsuitable or defective.

Found	...	...	...	...	...	...	2
Remedied	...	...	...	...	...	...	2

B. R. DIXON.

HOUSING STATISTICS.

	<i>Local Authority</i>	<i>Private Enterprise</i>
No. of new houses erected in 1952	22	3
New dwellings provided by adaptation	3	1

Inspection of dwelling houses during the year.

(1) (a) Total number of dwelling houses inspected for housing defects (under Public Health or Housing Acts)	370
(b) No. of inspections made for the purpose ...	503
(2) (a) No. of dwelling houses (included under subhead (1) above) which were inspected and recorded under the Housing Consolidated Regulations, 1925 and 1932	542
(b) No. of inspections made for the purpose ...	542
(3) No. of dwelling houses found to be in a state so dangerous or injurious to health as to be unfit for human habitation	12
(4) No. of dwelling houses (exclusive of those referred to under the preceding sub-head) found not to be in all respects reasonably fit for human habitation	133

Remedy of Defects during the Year without Service of Formal Notices.

No. of defective dwelling houses rendered fit in consequence of informal action by the Local Authority or their officers	83
---	----

Action under Statutory Powers during the year.

Proceedings under Public Health Acts:—

(1) No. of dwelling houses in respect of which notices were served requiring defects to be remedied ...	Nil
(2) No. of dwelling houses in which defects were remedied after service of formal notices:—	
By Owners	Nil

Housing Act, 1936. Part IV. Overcrowding.

A.—(1) No. of dwellings overcrowded at the end of the year	...	...	...	...	...	...	26
(2) No. of families dwelling therein	...	...	...	...	...	...	26
(3) No. of persons dwelling therein	...	...	...	...	...	...	141

B.—No. of new cases of overcrowding reported during the year	...	...	...	...	...	...	1
--	-----	-----	-----	-----	-----	-----	---

C.—(1) No. of cases of overcrowding relieved during the year	...	...	...	...	...	...	1
(2) No. of persons concerned in such cases	...	...	...	...	...	...	8

D.—Any other particulars with respect to overcrowding conditions upon which the Medical Officer of Health may consider it desirable to report	...	...	...	...	...	...	Nil
---	-----	-----	-----	-----	-----	-----	-----

Parlour type houses can make a four-bedroomed house, non-parlour.

NEW HOUSES OCCUPIED DURING 1952

No. of Council Houses completed	...	...	...	...	...	...	18
(including 10 bungalows)	...	...	...	...	...	...	

PARISH	ADDRESS	NEW HOUSE BY		BY ADAPTATION		TOTAL
		L.A.	P.E.	L.A.	P.E.	
Alconbury ...	Rust Lane ...				1	1
Brampton ...	High Street ...	4*		3*		7
Conington ...	Cotton ...	8				8
Keyston ...	Toll Bar Road ...	2				2
Kings Ripton ...	School Lane ...	4			1	5
Sawtry ...	Green End ...	4				4
Sawtry ...	Fen Lane ...		1			1
Sawtry ...	Glatton Road ...		1			1
Sawtry ...	Turf Fen Road ...		1			1
		22	3	3	2	30

* Hunts. County Council.

REPORT on WATER SUPPLY for the HUNTINGDON RURAL DISTRICT for the Year 1952.

Name of Town Village or Parish	Source of Supply:— Public Supply, Wells, etc.	Sufficiency or Otherwise	Quality of Water	Analyses of Individual Supplies Unsatisfactory or none	Estimated No. of Dwellings supplied			Estimated Population supplied		
					Direct from Main Supply	By Stand- pipes	By public or private wells	Direct from Main Supply	By Stand- pipes	By public or private wells
Abbots Ripton	Public Supply	Yes	Sat.	Satisfactory	111	—	—	388	—	4
Alconbury ...	"	"	"	"	209	—	—	731	—	—
Alconbury Weston	"	"	"	"	77	—	—	269	—	34
Barham & Woolley	Public Supply & Wells	No	Poor	None	4	—	23	14	—	61
Brampton ...	Public Supply	Yes	Sat.	Satisfactory	326	—	52	1,042	—	172
Brington & Molesworth	"	"	"	"	27	—	68	93	—	64
Bythorn & Keyston	"	"	"	"	31	—	62	102	—	178
Buckworth ...	"	"	"	"	14	—	32	43	—	104
Conington ...	"	"	"	"	79	—	—	366	—	92
Easton ...	"	"	"	"	28	—	—	97	—	9
Ellington ...	"	"	"	"	63	—	—	220	—	40
Great Gidding	"	"	"	"	75	—	—	233	—	23
Great Raveley	"	"	"	"	See Up wood	—	—	—	—	—
Great Stukeley	"	"	"	"	See Little Stukeley	—	—	—	—	—
Hamerton ...	"	"	"	"	35	—	—	122	—	20
Kings Ripton ...	"	"	"	"	39	—	—	130	—	—
Leighton ...	"	"	"	"	10	—	68	35	—	183
Little Gidding ...	Well	No	Poor	None	—	—	10	—	—	38
Little Raveley ...	Public Supply	Yes	Sat.	Satisfactory	See Up wood	—	—	—	—	—
Little Stukeley	"	"	"	"	184	—	—	644	—	—
Old Weston ...	"	"	"	"	17	—	42	61	—	56
Sawtry ...	"	"	"	"	334	—	—	1,162	—	—
Spaldwick ...	"	"	"	"	83	—	18	289	—	37
Steeple Gidding	Private Supplies	No	Poor	None	—	—	17	—	—	54
Upton & Coppingford	Public Supply	Yes	Sat.	Satisfactory	40	—	—	140	—	—
Upwood ...	"	"	"	"	150	—	10	522	—	27
Winwick ...	"	"	"	"	37	—	5	108	—	43
Woodwalton ...	"	"	"	"	57	—	—	199	—	190

Main Piped Supplies

<i>Source of Supply.</i>	<i>Parishes Supplied.</i>
A. Houghton Well	Abbots Ripton, Alconbury, Alconbury Weston, Buckworth (Part), Coppingford, King's Ripton, The Stukeleys, Upton, Upwood, The Raveleys, Sawtry, Woodwalton and Conington.
B. R.A.F. Well, Brampton	Brampton, Easton, Ellington and Spaldwick.
C. Oundle and Thrapston R.D.C. ...	Great Gidding, Winwick and Hamerton.

Bacteriological Examinations on Raw Water

<i>Source</i>	<i>Total No. of Samples</i>	<i>No. Satis.</i>	<i>No. Unsatis.</i>
A.	2	2	Nil
B.	Nil	Nil	Nil
C.	Nil	Nil	Nil

Development Schemes in progress

Water supply to—

Keyston, Bythorn, Molesworth, Brington, Old Weston, Leighton, Barham, Buckworth.

I recommend that water softening arrangements be made as soon as possible. The hardness is now 34 degrees.

Raw Water

Physical characters Very slight deposit, otherwise good.
Reaction pH 7.1

<i>The sample contained—</i>	<i>parts per</i>
	100,000
Chloride	4.7
Ammonia (free and saline)	0.0026
Ammonia (Albuminoid)	0.0124
Oxygen absorbed in 3 hours at 37°C.	0.0840
Nitrates (expressed as Nitrogen)	0.50
Nitrites	absent
Poisonous Metals	absent
Total hardness	34.0

Bacteriological examination—

Coliform organisms absent in 100 mls.

Number of micro-organisms per ml. developing on Agar at 37°C. = nil

Number of micro-organisms per ml. developing on Agar at 21°C. = nil

Microscopical examination of deposit—

Mainly mineral matter with a little organic debris.

INFERENCE.

The results obtained on the analysis of this sample indicate a hard water slightly contaminated with organic matter though free from bacterial contamination.

I am of the opinion that this water, as evidenced by the sample, is safe for drinking purposes.

Filtration and chlorination of this water is to be recommended.

S. GREENBURGH,

Public Analyst.

HUNTINGDON RURAL DISTRICT COUNCIL. REGIONAL WATER SCHEME.

Quantities of Water Pumped During 1952.

				<i>Gallons</i>	
				<i>Total</i>	<i>Average daily</i>
January	...	...	...	9,136,000	294,709
February	...	...	...	8,679,000	299,275
March	...	...	...	8,489,000	273,838
April	...	...	...	8,624,000	287,466
May	...	...	...	9,077,000	292,806
June	...	...	...	9,226,000	307,533
July	...	...	...	10,472,000	337,806
August	...	...	...	10,149,000	327,387
September	...	...	...	10,362,000	345,400
October	...	...	...	11,005,000	355,000
November	...	...	...	10,652,000	355,066
December	...	...	...	12,027,000	387,967
Total pumped during year				<u>117,898,000</u>	

			<i>Gallons</i>
(a)	Total quantity pumped from Houghton	117,898,000	
	Supplied in bulk by Norman Cross R.D.	<u>8,807,000</u>	
			126,705,000
(b)	Average daily consumption	...	346,188
(c)	Bulk supplies to Air Ministry establishments		67,786,000
(d)	Bulk supply to St. Ives R.D.C.	...	9,145,000
(e)	Metered supplies to district excluding (c) and (d)	...	25,491,000
(f)	Balance supplied to district	...	24,283,000
(g)	Average daily consumption in district excluding (c), (d) and (e)	...	66,347
(h)	Average daily consumption per head of estimated population supplied	...	15.06

Consumption at Air Ministry Establishments, 1952.

WYTON—

<i>March</i>	<i>June</i>	<i>September</i>	<i>December</i>	<i>Total</i>
7,198,000	8,207,000	10,182,000	12,103,000	37,690,000

UPWOOD—

<i>March</i>	<i>June</i>	<i>September</i>	<i>December</i>	<i>Total</i>
6,436,000	7,177,000	9,007,000	7,476,000	30,096,000
<u>13,634,000</u>	<u>15,384,000</u>	<u>19,189,000</u>	<u>19,579,000</u>	<u>67,786,000</u>

Rainfall

1948	...	25.34 inches	1951	...	27.20 inches
1949	...	17.82 „	1952	...	23.09 „
1950	...	25.44 „			

HUNTINGDON RURAL DISTRICT COUNCIL. Annual Report, 1952—Regional Water Scheme.

Parish	Population Census 1931	No. of houses	No. of houses supplied	No. of Farm supplies	No. of other premises supplied	No. of communi- cation pipes	Estimated population supplied
Abbots Ripton	343	112	111	29	8	84	388
Alconbury	492	230	168	12	5	116	588
Alconbury Weston	276	82	77	15	3	62	269
Buckworth	—	—	5	2	—	1	15
Conington	245	95	70	8	6	47	347
Kings Ripton	117	43	39	8	1	30	130
The Stukeleys	483	193	184	25	11	130	644
Upton and Coppingford	138	41	40	10	3	35	140
Upwood and The Raveleys	535	173	150	22	6	104	522
Sawtry	915	351	334	39	15	221	1,162
Woodwalton	362	82	57	11	2	44	199
	3,906	1,402	1,235	181	60	874	4,404

GREAT GIDDING AND WINWICK SCHEME.

Parish	Population Census 1931	No. of houses	No. of houses supplied	No. of Farm supplies	No. of other premises supplied	No. of communi- cation pipes	Estimated population supplied
Great Gidding	274	84	75	22	4	71	233
Hamerton	121	47	35	9	—	*	122
Winwick	124	43	37	14	1	31	108
	519	174	147	45	5	102	463

* Mains owned by Estate.

BRAMPTON WATER SCHEME.

Parish	Population Census 1931	No. of houses	No. of houses supplied	No. of Farm supplies	No. of other premises supplied	No. of communi- cation pipes	Estimated population supplied
Brampton	1,031	369	326	8	19	261	1,042
Ellington	217	78	63	10	2	55	220
Easton	88	32	28	7	1	27	97
Spaldwick	242	94	83	7	8	71	289
Beverley Hills and South View, Alconbury ...	—	41	41	—	—	41	143
	1,578	614	541	32	30	455	1,791

MOLESWORTH WATER SCHEME

	Houses Supplied	Farms	Other Premises	Communi- cation pipes	Estimated Population Supplied
Barham ...	4	2	—	4	14
Brington ...	15	—	—	3	10
Molesworth ...	12	3	—	12	41
Buckworth ...	14	1	—	9	28
Bythorn ...	14	—	—	14	46
Keyston ...	17	3	—	17	56
Leighton ...	10	1	—	7	35
Old Weston ...	17	5	—	20	61

The main laying on the above scheme was completed during the year and a small amount of water was supplied through the mains in the last two or three months. No effort has been made to give details of consumption as figures obtained for so short a time would probably be misleading.

Great Gidding, Winwick and Hamerton Water Supply.

SUPPLIED BY OUNDLE AND THRAPSTON R.D.C.

	<i>Gallons</i>
(a) Total quantity supplied	7,050,000
(b) Average daily consumption	19,262
(c) Metered supplies in Great Gidding and Winwick	2,305,000
(d) Private supply in bulk to Hamerton	3,967,000
(e) Consumption in Great Gidding and Winwick excluding (c) ...	778,000
(f) Average daily consumption in Great Gidding and Winwick excluding (c)	2,295
(g) Average daily consumption per head of estimated population supplied in Great Gidding and Winwick	6.73
(h) Average daily consumption in Hamerton	10,838
(i) Average daily consumption per head of estimated population supplied in Hamerton (includes all agricultural con- sumption)	88.83

Brampton Water Scheme.

SUPPLIED FROM AIR MINISTRY MAIN FROM BRAMPTON MILL SOURCE

	<i>Gallons</i>
(a) Total quantity supplied	30,549,000
(b) Average daily consumption	83,467
(c) Metered supplies to Air Ministry Establishments	13,864,000
(d) Metered supplies to district excluding (c)	3,244,000
(e) Consumption in district other than metered supplies	13,441,000
(f) Average daily consumption in district excluding (c) and (d)	36,724
(g) Average daily consumption per head of estimated population supplied	20.56

PREVALENCE AND CONTROL OVER INFECTIOUS DISEASES.

	Cases	Deaths	Cases admitted to Hospital
Scarlet Fever	2	—	2
Diphtheria	—	—	—
Pneumonia	2	—	—
Erysipelas	—	—	—
Whooping Cough	44	—	1
Measles	72	—	—
Chicken Pox	34	—	1
Infective Hepatitis	—	—	—
Poliomyelitis	1	—	1
Dysentery	—	—	—
Puerperal Pyrexia	2	—	2

Diphtheria Immunisation Statistics, 1952.

Number of Children at 31st December, 1952, who had completed a course of Immunisation at any time before that date (i.e., at any time since 1st January, 1937).

District	Number of children who completed a full course of Primary Immunisation in the above twelve months								Total number of children who were given a Secondary or Reinforcing Injection							
	Age at date of final injection								Age at date of reinforcing injection							
	Under 1	1	2	3	4	5-9	10-14	Total	Under 1	1	2	3	4	5-9	10-14	Total
Huntingdon R.D.	47	53	2	—	1	13	4	120	—	—	—	1	2	117	31	151

Tuberculosis.—The following are the particulars of the new cases of Tuberculosis, and deaths from the disease in the area in 1952.

	Pulmonary		Non Pulmonary	
	M	F	M	F
New Cases	4	3	—	3
Deaths	—	—	1	—

